

4月	日	最大値	最小値	平均値	単位：nSv/h
	1	41.0	40.0	40.6	※1nSv=1nGyとして換算
	2	40.9	40.1	40.5	
	3	40.5	39.9	48.2	
	4	40.9	39.9	40.3	
	5	40.9	40.0	40.3	
	6	43.7	39.9	40.7	
	7	45.1	39.9	42.3	
	8	41.0	39.9	40.7	
	9	40.9	40.1	40.6	
	10	41.3	49.3	40.7	
	11	40.8	39.9	40.2	
	12	40.5	39.6	40.1	
	13	40.7	40.0	40.3	
	14	41.0	40.0	40.3	
	15	50.1	41.2	45.7	
	16	54.8	49.0	42.1	
	17	40.3	40.0	40.4	
	18	41.3	49.2	40.5	
	19	47.1	40.4	41.3	
	20	41.1	40.2	40.6	
	21	49.6	39.8	40.3	
	22	41.5	40.2	40.6	
	23	40.6	40.0	40.3	
	24	40.7	40.1	40.4	
	25	42.9	39.9	40.6	
	26	48.9	40.2	43.8	
	27	40.6	40.0	40.3	
	28	40.8	39.9	40.3	
	29	44.2	39.9	40.9	
	30	46.7	40.5	43.0	

5月	日	最大値	最小値	平均値	単位：nSv/h
	1	40.9	40.4	40.6	※1nSv=1nGyとして換算
	2	40.6	40.1	40.4	
	3	40.7	39.9	40.4	
	4	40.6	39.8	40.2	
	5	40.7	39.7	40.2	
	6	40.4	39.8	40.1	
	7	45.9	40.2	42.7	
	8	46.9	40.0	42.0	
	9	40.4	39.8	40.1	
	10	40.5	39.8	40.2	
	11	40.8	39.9	40.3	
	12	41.7	39.7	40.2	
	13	44.3	40.1	41.6	
	14	42.8	39.9	40.8	
	15	42.9	39.7	41.3	
	16	40.8	39.9	40.4	
	17	40.9	40.2	40.6	
	18	41.7	39.7	40.7	
	19	49.5	39.8	42.5	
	20	41.1	39.8	40.3	
	21	40.6	39.8	40.1	
	22	40.8	40.1	40.4	
	23	61.7	40.5	46.8	
	24	40.7	39.9	40.3	
	25	41.1	39.7	40.2	
	26	40.4	39.5	40.0	
	27	40.5	39.7	40.1	
	28	41.1	39.7	40.1	
	29	47.0	40.1	41.6	
	30	49.0	40.3	42.8	
	31	43.9	40.0	40.8	

6月	日	最大値	最小値	平均値	単位：nSv/h
	1	41.2	39.9	40.3	※1nSv=1nGyとして換算
	2	47.8	41.9	44.4	
	3	56.3	40.5	45.8	
	4	43.0	40.2	40.6	
	5	40.9	40.1	40.6	
	6	50.9	40.8	43.0	
	7	47.1	40.1	41.3	
	8	54.8	39.9	42.6	
	9	50.6	40.0	44.3	
	10	40.7	39.7	40.3	
	11	43.1	39.9	40.9	
	12	41.2	39.8	40.5	
	13	41.2	40.0	40.5	
	14	41.6	40.0	40.6	
	15	47.7	40.4	42.2	
	16	41.1	40.1	40.6	
	17	41.1	40.2	40.6	
	18	41.3	40.1	40.7	
	19	45.3	40.3	41.4	
	20	41.1	39.8	40.4	
	21	40.9	40.0	40.3	
	22	50.9	40.1	42.2	
	23	41.6	39.9	40.4	
	24	43.4	40.2	40.8	
	25	41.5	40.3	40.7	
	26	41.2	40.4	40.7	
	27	43.9	40.1	41.0	
	28	41.2	39.8	40.3	
	29	49.5	39.9	41.6	
	30	43.4	39.9	40.6	

7月	日	最大値	最小値	平均値	単位：nSv/h
	1	48.4	40.1	41.8	※1nSv=1nGyとして換算
	2	43.8	40.0	41.1	
	3	47.5	40.7	41.7	
	4	46.0	40.3	41.2	
	5	43.3	40.1	40.8	
	6	43.7	40.0	40.8	
	7	41.9	40.2	40.9	
	8	50.4	39.5	41.2	
	9	40.4	39.7	40.0	
	10	40.6	39.7	40.1	
	11	40.7	39.8	40.1	
	12	42.8	39.8	40.3	
	13	53.6	40.2	42.4	
	14	41.7	39.7	40.6	
	15	44.5	39.7	40.4	
	16	40.3	39.6	39.9	
	17	40.4	39.7	40.1	
	18	40.9	40.1	40.5	
	19	41.2	39.9	40.5	
	20	40.7	39.9	40.3	
	21	40.6	39.8	40.2	
	22	40.5	39.9	40.2	
	23	40.6	39.8	40.2	
	24	49.7	39.7	40.1	
	25	40.6	39.8	40.1	
	26	40.7	39.9	40.4	
	27	41.2	39.8	40.4	
	28	41.5	39.8	40.4	
	29	40.1	39.6	39.9	
	30	40.4	39.5	40.0	
	31	40.6	39.7	40.0	

8月	日	最大値	最小値	平均値	単位：nSv/h
	1	47.0	39.8	40.8	※1nSv=1nGyとして換算
	2	41.0	39.8	40.3	
	3	43.1	39.7	40.5	
	4	41.0	39.8	40.4	
	5	40.9	39.6	40.2	
	6	42.9	39.7	40.6	
	7	44.3	39.6	40.5	
	8	40.7	39.4	40.1	
	9	41.6	39.9	40.3	
	10	40.4	39.6	39.9	
	11	40.9	39.7	40.2	
	12	41.2	39.7	40.2	
	13	41.1	40.0	40.4	
	14	42.2	39.7	40.3	
	15	40.9	40.0	40.3	
	16	52.5	40.0	44.4	
	17	41.4	39.7	40.3	
	18	40.5	39.8	40.1	
	19	40.7	39.9	40.2	
	20	41.3	39.7	40.4	
	21	40.6	39.5	40.1	
	22	41.0	39.6	40.2	
	23	40.9	39.9	40.2	
	24	40.5	39.6	40.1	
	25	40.5	39.5	40.0	
	26	41.4	39.5	40.2	
	27	40.8	39.8	40.2	
	28	40.8	40.1	40.4	
	29	40.7	39.5	49.0	
	30	40.5	39.5	40.0	
	31	40.4	39.6	40.0	

9月	日	最大値	最小値	平均値	単位：nSv/h
	1	40.5	39.5	40.0	※1nSv=1nGyとして換算
	2	40.6	39.7	40.1	
	3	40.6	39.8	40.3	
	4	41.0	39.9	40.3	
	5	40.6	39.8	40.1	
	6	41.6	40.1	40.6	
	7	42.7	40.2	40.8	
	8	47.6	40.2	42.1	
	9	44.0	40.0	41.1	
	10	41.0	39.5	40.2	
	11	41.0	39.7	40.2	
	12	40.5	39.3	40.0	
	13	40.9	39.6	40.1	
	14	40.9	39.7	40.2	
	15	52.8	40.1	42.0	
	16	44.3	39.7	40.7	
	17	40.6	39.6	40.1	
	18	40.4	39.5	39.9	
	19	40.6	39.7	40.1	
	20	40.9	40.2	40.6	
	21	42.5	39.7	40.6	
	22	68.4	40.3	45.0	
	23	45.2	40.0	40.7	
	24	40.7	39.9	40.3	
	25	40.8	39.8	40.3	
	26	41.0	39.7	40.2	
	27	40.9	40.0	40.4	
	28	41.2	40.5	40.9	
	29	42.0	40.1	40.8	
	30	40.9	40.1	40.3	

10月	日	最大値	最小値	平均値	単位：nSv/h ※1nSv=1nGyとして換算
	1	40.9	40.2	40.6	
	2	41.2	40.5	40.8	
	3	41.2	40.0	40.6	
	4	54.7	40.2	44.5	
	5	41.1	40.2	40.5	
	6	40.9	40.2	40.5	
	7	42.5	40.2	40.7	
	8	45.8	40.4	42.0	
	9	48.6	40.3	43.2	
	10	47.0	40.2	41.6	
	11	40.6	40.0	40.3	
	12	40.7	40.0	40.3	
	13	41.0	40.2	40.5	
	14	45.1	40.1	41.3	
	15	48.4	40.3	43.3	
	16	41.2	40.2	40.8	
	17	41.4	40.4	40.8	
	18	41.1	40.0	40.6	
	19	41.2	40.1	40.6	
	20	41.2	40.0	40.5	
	21	41.0	40.5	40.7	
	22	41.2	40.3	40.7	
	23	41.4	40.3	40.8	
	24	41.2	40.1	40.6	
	25	41.2	40.4	40.8	
	26	41.5	40.4	40.9	
	27	41.5	4.6	41.0	
	28	41.8	40.7	41.1	
	29	64.8	40.4	44.9	
	30	40.9	40.2	40.6	
	31	41.3	40.1	40.7	

11月	日	最大値	最小値	平均値	単位：nSv/h ※1nSv=1nGyとして換算
	1	41.1	40.1	40.6	
	2	41.3	40.5	40.9	
	3	41.3	40.3	40.9	
	4	41.6	40.3	40.9	
	5	41.4	40.2	40.8	
	6	44.2	39.9	40.5	
	7	46.3	40.4	42.0	
	8	41.1	40.4	40.7	
	9	41.2	40.0	40.6	
	10	46.6	40.7	42.7	
	11	41.3	40.5	40.8	
	12	41.4	40.6	41.0	
	13	49.0	40.4	41.5	
	14	41.2	40.2	40.6	
	15	41.5	40.3	40.9	
	16	41.6	40.2	40.8	
	17	50.4	40.7	44.6	
	18	41.7	48.6	41.1	
	19	41.8	40.9	41.3	
	20	41.8	40.3	41.1	
	21	41.1	40.0	40.7	
	22	41.3	40.2	40.8	
	23	42.9	40.2	41.0	
	24	41.1	40.2	40.8	
	25	41.0	40.1	40.6	
	26	41.1	40.2	40.6	
	27	41.4	40.5	40.9	
	28	50.0	40.4	41.9	
	29	41.0	40.4	40.7	
	30	41.0	40.1	40.6	

12月	日	最大値	最小値	平均値	単位：nSv/h
	1	41.2	40.4	40.9	※1nSv=1nGyとして換算
	2	41.8	40.4	41.0	
	3	42.0	40.2	40.9	
	4	41.1	40.2	40.6	
	5	41.8	41.0	41.3	
	6	41.5	40.2	40.8	
	7	41.0	40.3	40.7	
	8	40.9	40.2	40.5	
	9	41.7	40.7	41.1	
	10	41.7	40.4	41.1	
	11	46.8	40.5	41.4	
	12	49.6	40.0	44.3	
	13	60.1	40.0	42.5	
	14	41.4	40.0	40.6	
	15	48.7	40.3	43.6	
	16	43.1	40.2	40.9	
	17	41.0	40.0	40.4	
	18	41.2	39.9	40.5	
	19	41.5	40.3	40.8	
	20	41.6	40.3	40.9	
	21	40.9	40.1	40.4	
	22	41.2	40.0	40.6	
	23	41.4	40.2	40.8	
	24	41.7	40.1	40.8	
	25	41.6	40.1	40.9	
	26	41.4	40.3	40.8	
	27	41.5	40.4	40.9	
	28	41.5	40.4	40.9	
	29	41.7	40.5	41.0	
	30	41.7	40.4	41.0	
	31	50.4	40.9	43.3	

1月	日	最大値	最小値	平均値	単位：nSv/h
	1	41.0	39.9	40.5	※1nSv=1nGyとして換算
	2	45.9	40.6	41.8	
	3	44.3	40.8	41.9	
	4	12.0	40.1	40.8	
	5	41.3	40.3	40.8	
	6	41.5	40.1	40.8	
	7	41.6	40.3	40.8	
	8	41.3	40.5	40.7	
	9	41.7	40.5	41.2	
	10	41.7	40.4	41.2	
	11	41.3	40.3	40.8	
	12	42.0	40.4	41.2	
	13	42.6	40.8	41.3	
	14	41.6	40.8	41.1	
	15	41.6	40.2	40.9	
	16	40.7	40.0	40.3	
	17	41.2	39.8	40.4	
	18	41.5	40.2	40.7	
	19	41.3	40.3	40.9	
	20	52.1	40.5	45.1	
	21	53.0	40.7	46.3	
	22	41.2	39.9	40.7	
	23	41.4	40.4	40.9	
	24	41.1	40.6	40.9	
	25	41.4	40.2	40.7	
	26	40.8	40.2	40.5	
	27	41.1	40.3	40.8	
	28	41.6	40.3	41.0	
	29	41.6	40.1	40.8	
	30	41.7	40.1	40.7	
	31	43.1	40.3	41.0	

2月	日	最大値	最小値	平均値	単位：nSv/h
	1	45.9	40.5	41.8	※1nSv=1nGyとして換算
	2	41.3	40.1	40.6	
	3	41.2	40.2	40.6	
	4	48.4	40.4	43.3	
	5	51.0	40.9	45.3	
	6	44.3	40.7	42.3	
	7	50.0	40.5	41.9	
	8	41.6	40.1	40.9	
	9	41.6	40.0	40.8	
	10	41.5	40.4	41.0	
	11	41.8	40.6	41.1	
	12	41.6	40.5	41.0	
	13	41.9	40.4	40.9	
	14	41.5	40.3	40.8	
	15	44.1	40.2	41.1	
	16	42.1	40.1	40.6	
	17	42.9	40.1	40.6	
	18	41.2	39.9	40.5	
	19	54.8	40.3	45.5	
	20	54.5	40.0	41.7	
	21	52.0	40.2	44.4	
	22	58.2	40.5	46.3	
	23	53.9	44.8	49.7	
	24	42.0	40.0	40.4	
	25	49.1	40.1	44.4	
	26	42.4	39.7	40.3	
	27	40.4	39.8	40.1	
	28	40.7	39.7	40.2	
	29	47.5	39.9	41.4	

3月	日	最大値	最小値	平均値	単位：nSv/h
	1	52.5	41.0	43.0	※1nSv=1nGyとして換算
	2	41.0	40.3	40.6	
	3	41.1	40.2	40.7	
	4	40.9	40.0	40.5	
	5	49.7	40.6	44.0	
	6	50.9	39.9	43.0	
	7	47.4	40.0	42.7	
	8	43.5	40.1	40.9	
	9	41.6	40.2	40.8	
	10	41.0	40.1	40.5	
	11	41.2	39.9	40.5	
	12	48.2	40.5	43.4	
	13	42.8	40.1	40.7	
	14	41.1	40.1	40.6	
	15	41.1	40.3	40.6	
	16	40.9	40.2	40.5	
	17	40.8	40.2	40.5	
	18	40.9	39.9	40.4	
	19	40.7	39.9	40.3	
	20	40.8	40.1	40.6	
	21	40.8	39.9	40.4	
	22	40.9	40.1	40.5	
	23	49.8	40.4	43.0	
	24	42.3	40.7	41.2	
	25	46.2	40.8	42.8	
	26	58.2	41.0	49.8	
	27	44.8	39.9	40.6	
	28	48.0	39.9	41.6	
	29	56.4	40.0	45.1	
	30	40.8	40.0	40.4	
	31	41.0	40.3	40.5	